

26965 MEBA 4LED 2X150 OP PS


T8 LED tube linear fittings

5905339269652











Kanlux MEBA 4LED is a LED version of Kanlux MEBA linear luminaire. T8 LED tubes used in it guarantee more economical and longer operation, which positively translates into the comfort of use in beauty and hairdresser salons, and office spaces.

GENERAL DATA:

Colour: white

Place of assembly: ceiling mounted Place of application: Indoors

Minimum distance from the illuminated object: 0,5m

Replaceable light source: yes Light source included: no

Power supply of T8 LED fluorescent lamps: Unilateral

Length [mm]: 1580 Width [mm]: 153 Height [mm]: 65

TECHNICAL DATA:

Rated voltage [V]: 220-240 AC Rated frequency [Hz]: 50/60 Maximum power [W]: 2 x max 58

Class of protection against electric shock: |

Lampshade material: PS Light source: T8 LED

Cap: G13

Ambient temperature range to which the product can be

exposed: 5÷25

The fixture is adapted to the light sources of the

following energy classes: A++,A+,A **Enclosure material**: plastic, steel **Connection type**: Bolt terminal block

Range of sections of wires used [mm²]: 1-2,5

IP class: 20

LOGISTIC DATA:


Unit of measurement: unit Packaging method: 6

Number of units in the secondary packaging: $\boldsymbol{1}$

Number of units in the packaging: 6

Net unit weight [g]: 1544 **Grammage [g]**: 2051.67

Length of a unit pack [cm]: 157 Width of a unit pack [cm]: 15.5 Height of a unit pack [cm]: 7




We reserve the right to make technical changes. The data contained in this material are not legally binding. Photometry: the results obtained from testing were from a specific sample.





26965 MEBA 4LED 2X150 OP PS

T8 LED tube linear fittings





Weight of a cardboard box [kg]: 12.31002 Width of a cardboard box [cm]: 23 Height of a cardboard box [cm]: 34


Length of a cardboard box [cm]: 157 Volume of a cardboard box [m³]: 0.122774

ADDITIONAL INFORMATION:

the fittings are intended for sources T8 LED 220-240 V~;
50/60 Hz with one-sided power supply


KANLUX S.A. (kat 26965) MEBA 4LED 2X150 OP PS + GLASSv3 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 26965) MEBA 4LED 2X150 OP PS + GLASSV3 Lamps: 2 x T8 LED GLASSV3 24W-NW



KANLUX S.A. (kat 26965) MEBA 4LED 2X150 OP PS + GLASSv2 / LDC (Polar)

Luminaire: KANLUX S.A. (kat 26965) MEBA 4LED 2X150 OP PS + GLASSv2 Lamps: 2 x T8 LED GLASSv2 24W-NW









26965 MEBA 4LED 2X150 OP PS

T8 LED tube linear fittings

