

Kanlux



Kanlux
DABA PRO
light fittings
for professional
usage

Kanlux



**Choose the perfect
one fixture**

- **4 models to choose from**
- version without motion sensor (25W
and with a motion sensor (26W)
- **two body colours white and black**



Kanlux




IP65 tightness of the luminaire **DABA PRO** is high durability to weather conditions.



DABA PRO is resistance for impacts **IK10** („vandal-proof” fitting) and additional protection against opening.



Kanlux




- High quality confirmed by a **5-year warranty**.
- High efficiency ~ 110lm / W.
- **Adjustable PIR sensor** (for the 26W version).
- Can be combined on a principle **master-slave**.
- The luminaire is equipped with push terminals for easy installation.

* 5-year warranty under the terms of the statement warranty, available on the website

Kanlux

DABA PRO ceiling lights can be combined with each other on the basis of **MASTER → SLAVE**, i.e. first (or first and last) luminaire with a sensor that controls a sequence of luminaires, switching them on and off the entire light line at the same time.





Kanlux

Kanlux DABA PRO
perfect for any project






A wide range of applications - can be used indoors
(bathrooms, kitchens, apartments, receptions, corridors)




Kanlux

A wide range of applications - can be used indoors
(bathrooms, kitchens, apartments, receptions, corridors)

Technical information:

					
• DABA PRO 25W NW-B	19065	25W	2800lm	4000K	no black
○ DABA PRO 25W NW-W	19064	25W	2800lm	4000K	no white
• DABA PRO 26W NW-SE-B	19067	26W	2800lm	4000K	yes black
○ DABA PRO 26W NW-SE-W	19066	26W	2800lm	4000K	yes white



DABA PRO
DABA PRO-SE

Specification:

- Power supply 220-240V ~ 50Hz, protection class II
- Luminaire efficacy: 112 lm / W (without sensor) / 107 lm / W (with sensor)
- Durability: **>50000h**
- on / off cycles: **>25000x**
- Housing material: ABS plastic
- Diffuser material: **polycarbonate**



Kanlux



Well packed