

Kanlux



**CEILING
LUMINARIES**

**Kanlux
RIFA LED**

Kanlux

Kanlux RIFA LED

Two colours of light:
- warm 3000K (WW)
- neutral 4000K (NW)



36460 RIFA LED 17,5W NW W/W

36461 RIFA LED 17,5W WW W/W



36462 RIFA LED 17,5W NW B/W

36463 RIFA LED 17,5W WW B/W



36464 RIFA LED 17,5W NW B/G

36465 RIFA LED 17,5W WW B/G



36466 RIFA LED 17,5W NW GR/G

36467 RIFA LED 17,5W WW GR/G

Kanlux

Kanlux RIFA LED

**CEILING LUMINARY WITH
INTEGRATED LED LIGHT SOURCE
WITH DECORATIVE DESIGN**

The luminary consists
of two elements: :

- **a opal white ceiling
with built-in LEDs
and a power supply,**
- **a fabric lampshade
with a subtle gloss effect.**



Kanlux



Kanlux RIFA LED will emphasize the cosiness of a home interior in the living room, bedroom or children's room.

Kanlux



Unusual form and simple shape will decorate the interior of your home.

Kanlux




The material lampshade of the Kanlux RIFA LED fitting makes it not only a practical, but also a decorative luminary.

Model list:

| | |  [lm] |  Tc [K] |
|---|-------------------------------------|--|--|
|  | 36460 RIFA LED 17,5W NW W/W | 1500lm | 4000 |
| | 36461 RIFA LED 17,5W WW W/W | 1450lm | 3000 |
|  | 36462 RIFA LED 17,5W NW B/W | 1500lm | 4000 |
| | 36463 RIFA LED 17,5W WW B/W | 1450lm | 3000 |
|  | 36464 RIFA LED 17,5W NW B/G | 1500lm | 4000 |
| | 36465 RIFA LED 17,5W WW B/G | 1450lm | 3000 |
|  | 36466 RIFA LED 17,5W NW GR/G | 1500lm | 4000 |
| | 36467 RIFA LED 17,5W WW GR/G | 1450lm | 3000 |

- Rated voltage [V]: **220-240 AC**
- Power [W]: **17.5**
- Class of protection against electric shock: **I**
- Lampshade material: **plastic**
- Light source: **LED**
- Colour rendering index: **80**
- Durability [h]: **25000**
- Number of on/off cycles: **≥20000**
- Beam angle [°]: **120**
- Housing material: **metal**
- **IP20**



Kanlux



well packed

kanlux.com