









Kanlux

**A FAMILY
OF WALL-CEILING
LUMINARIES**

**Kanlux
EVALO**

Kanlux



Kanlux **EVALO**
- a series of spots
where you can
**choose from
1 to 5 points of light.**

Available in 2 colors:
black or white
with a matte finish.

In both cases, the joint
for setting the lampshade
is finished in silver.

Kanlux

Kanlux **EVALO**
Colour matt white.



EVALO EL-11 W-SR **35690**



EVALO EL-21 W-SR **35692**



EVALO EL-31 W-SR **35694**



EVALO EL-40 W-SR **35696**



EVALO EL-41 W-SR **35698**



EVALO EL-51 W-SR **35688**




Kanlux

Kanlux **EVALO**
Colour matt black.



EVALO EL-11 B-SR **35691**



EVALO EL-21 B-SR **35693**




EVALO EL-31 B-SR **35695**



EVALO EL-40 B-SR **35697**



EVALO EL-41 B-SR **35699**



EVALO EL-51 B-SR **35689**



Kanlux

Kanlux **EVALO**

Shade adjustment:

horizontally by 320°
and vertically by 90°.

The set includes a suction cup for convenient installation of the light source.



Kanlux



**Modern and minimalist design
can be successfully used in many
rooms in the house.**

Kanlux




Kanlux



Scandinavian simplicity and silver elements will add elegance to any interior.

EVALO EL-11 W-SR


EVALO EL-11 B-SR



EVALO EL-11

EVALO EL-21 W-SR


EVALO EL-21 B-SR



EVALO EL-21

EVALO EL-31 W-SR

EVALO EL-31 B-SR




EVALO EL-31

Kanlux

EVALO EL-40 W-SR


EVALO EL-40 B-SR



EVALO EL-40

EVALO EL-41 W-SR



EVALO EL-41 B-SR



EVALO EL-41

EVALO EL-51 W-SR

EVALO EL-51 B-SR



EVALO EL-51

Kanlux EVALO



○	35690	EVALO EL-1I W-SR	max 10W
●	35691	EVALO EL-1I B-SR	
○	35692	EVALO EL-2I W-SR	2 x max 10W
●	35693	EVALO EL-2I B-SR	
○	35694	EVALO EL-3I W-SR	3 x max 10W
●	35695	EVALO EL-3I B-SR	
○	35696	EVALO EL-4O W-SR	4 x max 10W
●	35697	EVALO EL-4O B-SR	
○	35698	EVALO EL-4I W-SR	4 x max 10W
●	35699	EVALO EL-4I B-SR	
○	35688	EVALO EL-5I W-SR	5 x max 10W
●	35689	EVALO EL-5I B-SR	

- rated voltage: **220-240 AC**
- housing material: **aluminum alloy**
- protection class: **I**.
- IP 20
- CAP: **GU10**
- light source: **PAR16 LED**
- the luminary is movable horizontally: **320°**
- luminary is movable vertically: **90°**
- light source not included

Kanlux



well packed

kanlux.com