


# ***Kanlux***

**FAMILY OF LED CEILING  
LIGHT FIXTURES**

**Kanlux  
IPER LED**



**Kanlux**



**Kanlux IPER LED**

**5-year warranty**

50 000h

**High luminous efficacy**

120lm/W


**Components from reputable suppliers**

Samsung

2835 LEDs



**120**  $\frac{\text{lm}}{\text{W}}$



**BRANDED**  
components

5-YEAR WARRANTY UNDER THE TERMS AND CONDITIONS OF THE STATEMENT OF WARRANTY AVAILABLE ON THE WEBSITE



# Kanlux



**IP**  
**65**



**IK**  
**10**

**PC**  
**PC**

## Kanlux IPER LED

High resistance to the ingress of water and solids - **IP65 degree of protection** of IPER LED ceiling light fixtures

IPER LED luminaires are characterised by the **highest mechanical resistance IK10**

Housing material:  
PC (base and lampshade)



# Kanlux

## Kanlux IPER LED

**Two shapes:**  
square (L) and round (O)

**Four wattages:**  
10W, 19W, 26W, 35W

**Two versions:** with  
or without motion sensor






# Kanlux

**EASY** installation


## Kanlux IPER LED

**Microwave motion sensor:**  
This motion sensor-equipped luminaire has optimally programmed sensor settings for even greater convenience.




### **EASY MOUNTING**

Ceiling or wall mounting. The luminaire has a mounting element into which the connected luminaire is inserted.



### **QUICK AND HASSLE-FREE INSTALLATION**

The use of a cable gland and a quick coupling makes installation of the luminaire quick and easy.



horizontal 360°



45s



50lx





**Kanlux**

**Kanlux IPER LED**

Wide range  
of uses and  
applications





**37293**  
**37301**

**37292**  
**37300**

**37291**  
**37299**


**37290**  
**37298**

**37297**  
**37305**

**37296**  
**37304**

**37295**  
**37303**

**37294**  
**37302**



rated  
voltage:  
**220-240 AC**


housing  
material:  
**PC**

lifespan:  
**50 000h**


protection  
class:  
**II**

colour  
temperature:  
**4000K**


○	<b>37290</b>	IPER LED 10W-NW-O		10W	<b>1200 lm</b>
○	<b>37291</b>	IPER LED 19W-NW-O		19W	<b>2280 lm</b>
○	<b>37292</b>	IPER LED 26W-NW-O		26W	<b>3120 lm</b>
○	<b>37293</b>	IPER LED 35W-NW-O		35W	<b>4200 lm</b>
□	<b>37294</b>	IPER LED 10W-NW-L		10W	<b>1200 lm</b>
□	<b>37295</b>	IPER LED 19W-NW-L		19W	<b>2280 lm</b>
□	<b>37296</b>	IPER LED 26W-NW-L		26W	<b>3120 lm</b>
□	<b>37297</b>	IPER LED 35W-NW-L		35W	<b>4200 lm</b>
●	<b>37298</b>	IPER LED 10W-NW-O-SE	✓	10W	<b>1200 lm</b>
●	<b>37299</b>	IPER LED 19W-NW-O-SE	✓	19W	<b>2280 lm</b>
●	<b>37300</b>	IPER LED 26W-NW-O-SE	✓	26W	<b>3120 lm</b>
●	<b>37301</b>	IPER LED 35W-NW-O-SE	✓	35W	<b>4200 lm</b>
■	<b>37302</b>	IPER LED 10W-NW-L-SE	✓	10W	<b>1200 lm</b>
■	<b>37303</b>	IPER LED 19W-NW-L-SE	✓	19W	<b>2280 lm</b>
■	<b>37304</b>	IPER LED 26W-NW-L-SE	✓	26W	<b>3120 lm</b>
■	<b>37305</b>	IPER LED 35W-NW-L-SE	✓	35W	<b>4200 lm</b>




IPER LED 10W-...-O  
IPER LED 19W-...-O




IPER LED 26W-...-O




IPER LED 35W-...-O



IPER LED 10W-...-L  
IPER LED 19W-...-L



IPER LED 26W-...-L



IPER LED 35W-...-L





**Kanlux**

**Kanlux IPER LED**



**high-quality packaging**

**kanlux.com**