

# SLV TRACK SYSTEMS

1-phase track systems  
for more lighting options



**SLV**

# ANYONE WANTING TO UNLEASH THEIR FULL LIGHTING POTENTIAL SHOULD STAY ON THE RIGHT TRACK.

---

For smaller shops, offices, restaurants or at home: SLV 1-phase track systems are ideal for achieving numerous lighting effects. With a large selection of lights and modular expansions, they can be adapted to a wide variety of uses and complicated room situations.







## A NEW DIMENSION OF FLEXIBILITY.

---

SLV 1-phase track systems offer greater lighting freedom. The system can be independently constructed and expanded at any time, thanks to the flexible use of spotlights and pendant lights. Lighting doesn't get more flexible than that.



### **Easily expandable.**

Since the tracks transport electricity to the spotlights, the lighting can be planned regardless of outlet point. The quantity, position and type of lights can be chosen as desired for various lighting effects. And, by simply adding cut-to-length track elements and connectors, you can adapt the lighting to accommodate various geometries and room layouts.

### **Numerous options.**

Placing multiple spotlights close together in a small room allows for a wide variety of lighting effects. Whether it's ceiling-mounted lights, recessed ceiling lights, wall-mounted lights or pendants: SLV 1-phase track systems form the flexible foundation for top-quality and effective basic or accent lighting.

---

#### **PARA CONE GL**

1 phase  
Prod. no.: 1006159

**Highlights at a glance:**

- Large choice of spotlights
- Lights can be replaced, converted and aligned
- Independent from power outlet points
- Scalability thanks to many track elements
- Attractive price-performance ratio



## DIVERSITY FOR THE HOME.

---

1-phase track systems are ideal for every living room. A large selection of decorative spotlights and pendant lights with different fittings allow the use of LED bulbs with various outputs and lighting qualities. Spots with fixed LEDs are also available. This provides everything you need for large and small residential projects.

For unique individual lighting  
effects in challenging room layouts



For elegant illumination  
of lounge areas




For safe and flexible illumination  
of work surfaces



To create the desired  
lighting atmosphere








## CONFIGURATOR SYSTEM.

The TRACK configurator takes you to the preferred purchase list.

Our online TRACK configurator tool is designed to make it easier and quicker for you to put together the right track system for your project.




Configure your personal track system step by step: from the track and geometrical lighting shape to compatible accessories. Useful tips and additional information will help you find the right product. You will receive a preferred purchase list, which you can easily modify if necessary or if your requirements change.





## A simple three-step process:

- 1 Basic system choice
- 2 Product selection
- 3 Receive list of recommendations



Scan and discover for yourself how easy it is to put together the right track system.






**EXPERIENCE LIGHT**  
THAT SATISFIES  
ACROSS THE BOARD.



# 1-phase surface-mounted tracks



**Focus on design.**

The flat 1-phase tracks are the optimum choice for decorative lighting in homes, smaller shops and offices. Thanks to the boreholes present in their cross-section, these flat aluminium tracks can be attached to your wall or ceiling quickly and easily.

Nominal voltage (V)	Max. current (A)	Colour	Material	Length (cm)	Prod. no.
220-240V ~50/60Hz	16	● black	Aluminium	100	143010
220-240V ~50/60Hz	16	○ white	Aluminium	100	143011
220-240V ~50/60Hz	16	● grey	Aluminium	100	143012
220-240V ~50/60Hz	16	● black	Aluminium	200	143020
220-240V ~50/60Hz	16	○ white	Aluminium	200	143021
220-240V ~50/60Hz	16	● grey	Aluminium	200	143022
220-240V ~50/60Hz	16	● black	Aluminium	300	1002151
220-240V ~50/60Hz	16	○ white	Aluminium	300	1002152
220-240V ~50/60Hz	16	● grey	Aluminium	300	1002153

Material: Aluminium, width: 3.5 cm, height: 1.8 cm, cover not included



1-phase surface-mounted tracks




Fast and simple assembly.






















# 1-phase surface-mounted tracks

Planning tools and accessories at a glance.

View of components from above  
on the installation side






	<b>Feed-in, earth left</b> 16 A max.   polycarbonate (PC) L: 6.5 cm W: 3.5 cm H: 1.8 cm ■ black Item no. <b>143030</b> □ white Item no. <b>143031</b> ■ grey Item no. <b>143032</b>		<b>Stabilising longitudinal connector</b> Steel L: 19.7 cm W: 3.2 cm H: 1.3 cm For reinforcement when mounting several tracks with ceiling suspension (1002845) ■ nickel Item no. <b>143151</b>
	<b>Feed-in, earth right</b> 16 A max.   polycarbonate (PC) L: 10.4 cm W: 3.5 cm H: 1.8 cm ■ black Item no. <b>143040</b> □ white Item no. <b>143041</b> ■ grey Item no. <b>143042</b>		<b>Stabilising corner connector</b> Steel L: 11.5 cm W: 11.5 cm H: 0.5 cm For reinforcement when mounting several tracks with ceiling suspension (1002845) ■ nickel Item no. <b>143152</b>
	<b>Longitudinal connector*</b> 16 A max.   polycarbonate (PC) L: 17.2 cm W: 3.5 cm H: 1.8 cm ■ black Item no. <b>143100</b> □ white Item no. <b>143101</b> ■ grey Item no. <b>143102</b>		<b>Stabilising X-connector</b> Steel L: 19.7 cm W: 19.7 cm H: 0.5 cm For reinforcement when mounting several tracks with ceiling suspension (1002845). ■ grey Item no. <b>143169</b>
	<b>Longitudinal connector</b> 16 A max.   polycarbonate (PC) L: 6.4 cm W: 3.5 cm H: 1.8 cm ■ black Item no. <b>143090</b> □ white Item no. <b>143091</b> ■ grey Item no. <b>143092</b>		<b>1-phase light adapter</b> 6 A max.   polycarbonate (PC) L: 8.2 cm W: 3.5 cm H: 4.2 cm ■ black Item no. <b>143120</b> □ white Item no. <b>143121</b> ■ grey Item no. <b>143124</b>
	<b>Corner connector, earth inside</b> 16 A max.   polycarbonate (PC) L: 10.4 cm W: 10.4 cm H: 1.8 cm ■ black Item no. <b>143060</b> □ white Item no. <b>143061</b> ■ grey Item no. <b>143062</b>		<b>1-phase light adapter with hooks</b> 6 A max.   polycarbonate (PC) L: 8.2 cm W: 3.5 cm H: 7.4 cm ■ black Item no. <b>143170</b> □ white Item no. <b>143171</b> ■ grey Item no. <b>143172</b>
	<b>Corner connector, earth outside</b> 16 A max.   polycarbonate (PC) L: 10.4 cm W: 10.4 cm H: 1.8 cm ■ black Item no. <b>143050</b> □ white Item no. <b>143051</b> ■ grey Item no. <b>143052</b>		<b>Cover</b> Polycarbonate (PC) L: 200 cm W: 1.8 cm H: 0.75 cm ■ black Item no. <b>1004783</b> □ white Item no. <b>1004785</b> ■ grey Item no. <b>1004784</b>
	<b>T-connector, earth external, left</b> 16 A max.   polycarbonate (PC) L: 17.2 cm W: 10.4 cm H: 1.8 cm ■ black Item no. <b>143070</b> □ white Item no. <b>143071</b> ■ grey Item no. <b>143072</b>		<b>End cap</b> Polycarbonate (PC) L: 0.4 cm W: 3.5 cm H: 1.8 cm ■ black Item no. <b>143130</b> □ white Item no. <b>143131</b> ■ grey Item no. <b>143132</b>
	<b>T-connector, earth external, right</b> 16 A max.   polycarbonate (PC) L: 17.2 cm W: 10.4 cm H: 1.8 cm ■ black Item no. <b>143080</b> □ white Item no. <b>143081</b> ■ grey Item no. <b>143082</b>		<b>Ceiling rose</b> 6 A max.   polycarbonate (PC) H: 2.5 cm Diameter: 12.1 cm ■ black Item no. <b>143380</b> □ white Item no. <b>143381</b> ■ grey Item no. <b>143382</b>
	<b>X-connector</b> 16 A max.   polycarbonate (PC) L: 9.5 cm W: 17.2 cm H: 1.8 cm ■ black Item no. <b>143160</b> □ white Item no. <b>143161</b> ■ grey Item no. <b>143162</b>		<b>Wire rope suspension 2 piece</b> Stainless steel/brass L: 500 cm   max. 10 kg ■ nickel Item no. <b>1002845</b>
	<b>Flex connector</b> 16 A max.   polycarbonate (PC) L: 16.4 cm W: 3.5 cm H: 1.8 cm ■ black Item no. <b>143110</b> □ white Item no. <b>143111</b> ■ grey Item no. <b>143112</b>		

\* with feed capacity

# 1-phase recessed tracks



**Elegantly integrated.**

1-phase recessed track systems can be elegantly integrated with the interior design. This is a high-quality technical approach, which also has a sophisticated appearance.

Nominal voltage (V)	Max. current (A)	Colour	Material	Length (cm)	Prod. no.
220-240V ~50/60Hz	16	○ white	Aluminium	200	143221

Material: Aluminium, width: 3.5 cm, height: 1.8 cm, cover not included



---

**1-phase recessed tracks**  
Item no.: 143221

Elegant solution for  
a high-quality finish.





# 1-phase recessed tracks

## Accessories at a glance.



### Feed-in, earth left

16 A max. | Plastic  
L: 10.8 cm W: 5.5 cm H: 2 cm

☐ white Item no. **143231**



### End cap

Plastic  
L: 2.7 cm W: 5.5 cm H: 1.8 cm

☐ white Item no. **143281**



### Feed-in, earth right

16 A max. | Plastic  
L: 10.8 cm W: 5.5 cm H: 2 cm

☐ white Item no. **143241**



### Retainer

Steel  
L: 7.5 cm W: 1.5 cm H: 4 cm

☐ nickel Item no. **143230**



### Longitudinal connector

16 A max. | plastic / steel  
L: 6.5 cm W: 1.8 cm H: 1.7 cm

☐ white Item no. **143271**



### 1-phase adapter with hooks

6 A max. | polycarbonate (PC)  
L: 8.2 cm W: 3.5 cm H: 7.4 cm

☒ black Item no. **143170**  
☐ white Item no. **143171**  
☐ grey Item no. **143172**



### Corner connector, earth inside

16 A max. | Plastic  
L: 11.2 cm W: 11.2 cm H: 2 cm

☐ white Item no. **143261**



### 1-phase light adapter

6 A max. | polycarbonate (PC)  
L: 8.2 cm W: 3.5 cm H: 4.2 cm

☒ black Item no. **143120**  
☐ white Item no. **143121**  
☐ grey Item no. **143124**



### Corner connector, earth outside

16 A max. | Plastic  
L: 11.2 cm W: 11.2 cm H: 2 cm

☐ white Item no. **143251**


# PURI TRACK



## Perfect purism.

Thanks to its simple design, the rotatable and pivoting high voltage post can be used anywhere. Specific lighting accents can be created using the aluminium lights. That's why PURI is suitable for replaceable LED lights.

Basic spotlights in a timeless design with GU10 fitting



## SOCKET INSIDE

## PURI TRACK

Socket type	GU10
Bulb type	QPAR51
L / diameter / H (cm)	8,3 / 5,4 / 7,4

Decorative ring for QPAR51 inc.


Further information about SLV TRACK system products can be found at: [slv.com](http://slv.com)





**PURI TRACK**  
1Ph., QPAR51  
Item no.: 143390

Ideal for decorative basic  
and accent lighting.



**PURI TRACK**  
1Ph., QPAR51  
Item no.: 143390


# BIMA



## Industrial look.

The 350° rotatable and 200° pivotable BIMA spotlight can be used in all room dimensions. It has an impressive aluminium-brushed industrial finish that's as robust as it looks. Standard QPAR51 lamps can be used in the GU10 fitting.

Rotatable and pivotable  
via two joints



## SOCKET INSIDE

	BIMA
Socket type	GU10
Bulb type	QPAR51
L / diameter / H (cm)	8 / 6 / 14



**BIMA**  
1Ph., single, QPAR51  
Item no.: 143440

Harmoniously integrates  
into the right environment.



**BIMA**  
1 phase, single, QPAR51  
Item no.: 143440




# HELIA 50 TRACK



## All-round elegance.

Slim, elegant and suitable for modern lighting projects thanks to its performance: the rotatable and pivotable spotlight is perfect for every track system. Made from aluminium and fitted with a premium LED module. Operates at 3000 Kelvin, 750 lumens and a CRI value greater than 90 for a decade.

Slim and elegant design




### HELIA 50 TRACK

System output (W)	11
Luminous flux (lm)	810/880
Colour temperature (K)	3.000
CRI	90
L / diameter / H (cm)	14 / 5,5 / 10

Further information about SLV TRACK system products can be found at:  
[slv.com](http://slv.com)



**HELIA 50 TRACK**  
1 phase  
Item no.: 143580



**HELIA 50 TRACK**  
1 phase  
Item no.: 143581



**HELIA 50 TRACK**  
1 phase  
Item no.: 143580

Perfect for flexible illumination  
of spaces of all sizes.


# NOBLO SPOT



## Rounded nobility.

The rotatable and pivotable LED spotlight captivates with its sleek design that makes it ideal for modern lighting concepts. The integrated premium LED module accentuates objects with its strong lighting properties.

Simple design and integrated LED



### NOBLO SPOT

System output (W)	7,5
Luminous flux (lm)	620
Colour temperature (K)	2.700
CRI	80 / 90
L / diameter / H (cm)	10,5 / 5 / 10,7







---

**NOBLO SPOT**  
1 phase  
Item no.: 1001863

Elegant design for  
modern lighting concepts.




---

**NOBLO SPOT**  
1 phase  
Item no.: 1001862


# PURIA TRACK



## Conical design.

The 340° rotatable and 85° pivotable spotlight gives you full creativity when it comes to lighting effects. Made from aluminium and satin glass, the versatile spotlight brightens every room. The integrated GU10 fitting is suitable for all standard QPAR51 lamps.

Rotatable and  
pivotable



## SOCKET INSIDE

## PURIA TRACK


Socket type	GU10
Bulb type	QPAR51
L / diameter / H (cm)	12,5 / 6,4 / 10,9




---

**PURIA TRACK**  
1Ph., QPAR51  
Item no.: 143451

Ideal for illuminating  
specific areas and  
objects.




---

**PURIA TRACK**  
1Ph., QPAR51  
Item no.: 143450




# AVO TRACK



## Attrative accenting.

The 350° rotatable and 90° pivotable AVO spotlight enables the creation of specific lighting accents. Individual and high-quality light that can be adjusted using the integrated GU10 fitting.

Rotating and  
pivoting



### SOCKET INSIDE


### AVO TRACK

Socket type	GU10
Bulb type	QPAR51
L / diameter / H (cm)	13 / 6,2 / 8



**AVO TRACK**  
1Ph., QPAR51  
Item no.: 144201

Enhances the appearance  
of attractive spaces.



**AVO TRACK**  
1Ph., QPAR51  
Item no.: 144200


# EURO SPOT TRACK



## Proven success.

The EURO SPOT always looks stylish on track systems. A GU10 fitting is integrated into the cylindrical lamp head that accommodates all standard QPAR51 lamps. Since the aluminium spotlights can be flexibly positioned, rotated by 350° and pivoted 90°, interior lighting can be designed exactly as desired.

Flexible positioning  
thanks to the joint



## SOCKET INSIDE

## EURO SPOT TRACK

Socket type	GU10
Bulb type	QPAR51
L / diameter / H (cm)	12,5 / 8 / 15,2



**EURO SPOT TRACK**  
1Ph., QPAR51  
Item no.: 1001861

When light is simply tempting.



# NOBLO SPOT SET



## Perfect start.

Get everything that you need for a perfect start with the 1-phase high-voltage track system set: two track sections, one long connector with feed-in capability and 3 NOBLO spotlights including powerful LEDs.



### NOBLO SPOT SET

System output (W)	24
Luminous flux (lm)	1860
Colour temperature (K)	2700
CRI	80
2 x 1m high-voltage track. 1 x feeder/longitudinal connector. 1 x 2 end caps. 3 x NOBLO light heads	



---

**NOBLO SPOT**  
1Ph., Triple Track Set  
Item no.: 1002611



---

**NOBLO SPOT**  
1Ph., Triple Track Set  
Item no.: 1002610

Everything you need to optimally  
illuminate smaller spaces.

# PURI TRACK SET



## Optimally equipped.

Get everything that you need for a perfect start with the 1-circuit high-voltage track system set: two track sections, one long connector with feed-in capability and 3 PURI spotlights incl. powerful LED lamps.

### SOCKET INSIDE

### PURI TRACK SET

Socket type GU10

2 x 1m high-voltage track. 1 x longitudinal connector.  
1 x 2 end caps. 3x PURI lamp heads. 3x LED GU10 lamps.  
3 x decorative ring for GU10



---

**PURI TRACK**  
1Ph., Triple Track Set  
Item no.: 143191

The ideal choice for small shops.




# ENOLA B TRACK



**Versatile & understated.**

Made from high-quality aluminium, the ENOLA B lamps are available as pendant lamps and spotlights for track systems. The GU10 fitting means energy-saving lighting can be used. The spotlights can be rotated and pivoted to achieve the desired lighting effect.


Elegant and cylindrical housing design



SOCKET INSIDE	ENOLA B PD	ENOLA B SPOT
	GU10	GU10
Socket type	GU10	GU10
Bulb type	QPAR51	QPAR51
L / diameter / H (cm)	- / 6,7 / 30	11,3 / 6,7 / 12
Pendant length	150	-



**ENOLA B PD**  
1Ph., QPAR51  
Item no.: 143964



**ENOLA B PD**  
1Ph., QPAR51  
Item no.: 143960



**ENOLA B SPOT**  
1Ph., QPAR51  
Item no.: 1002110

Maximum diversity for  
a wide variety of projects.


# PARA CONE 14



## A touch warmer.

The PARA CONE lamps in copper, black and white have a coloured reflector for extra-warm lighting. The spotlight can be rotated and pivoted to suit all room dimensions. With their integrated GU10 fitting, the spotlights and pendant lights are suitable for replaceable LED lamps.

Coloured reflector for warm lighting effect



### SOCKET INSIDE

	PARA CONE 14 PD	PARA CONE 14 SPOT
Socket type	GU10	GU10
Bulb type	QPAR51	QPAR51
Diameter / H (cm)	13,5 / 14	13,5 / 20
Pendant length (cm)	150	—



**PARA CONE 14 SPOT**  
1Ph., QPAR51  
Item no.: 1002873

Creates warmth in private  
and commercial areas.



**PARA CONE 14 PD**  
1Ph., QPAR51  
Item no.: 1001968




# PARA CONE GL



## Glass design.

PARA CONE GL features an eye-catching coned glass design and creates an atmospheric lighting ambience. The glass lamp shade draws the gaze to the changeable LED light with GU10 fitting. The 300° rotatable and 90° pivotable spotlight can be used in all room dimensions.

Glass lamp shade




## SOCKET INSIDE

	PARA CONE GL PD	PARA CONE GL SPOT
Socket type	GU10	GU10
Diameter / H (cm)	13,5 / 15	13,5 / 19,5
Pendant length (cm)	250	—



**PARA CONE GL PD**  
1Ph., GU10  
Item no.: 1006160

Clear attention-grabber  
for various opportunities.



**PARA CONE GL SPOT**  
1Ph., GU10  
Item no.: 1006155


# PANEL TRACK



## Seamlessly stylish.

In addition to their high colour rendering index, flat PANEL TRACK lights now also stand out with their ability to rotate and swivel. The round or square aluminium frame is fitted with an acrylic glass cover that ensures glare-free illumination.

Acrylic glass cover for glare-free illumination



	PANEL TRACK square	PANEL TRACK round
System output (W)	18	18
Luminous flux (lm)	1800	1800
Colour temperature (K)	3000	3000
CRI	90	90
L/W/H (cm)	30 / 15 / 9,3	–
L / diameter / H (cm)	–	23,1 / 20 / 9,5

Further information about SLV TRACK system products can be found at: [slv.com](http://slv.com)





**PANEL TRACK**  
1 ph., round  
Item no.: 1004935

Accentuates colours  
with a great deal  
of functionality.



**PANEL TRACK**  
1 ph., square  
Item no.: 1004933



# LIGHT EYE®




## Totally robust.

The popular lighting classic made from shiny steel: LIGHT EYE® shines with ultimate diversity. The spotlights and pendant lights, which can be rotated and swivelled, are available in white, black or chrome. The spotlight also features matt copper.

### SOCKET INSIDE

	LIGHT EYE® 150 PD	LIGHT EYE® 90 SPOT
Socket type	GU10	GU10
Bulb type	QPAR111	QPAR51
L / diameter / H (cm)	– / 15 / 12	12,2 / 8,9 / 10
Pendant length (cm)	250	–







---

**LIGHT EYE® 150 PD**

1 ph., QPAR111  
Item no.: 1000713

Round design for  
diverse lighting projects.




---

**LIGHT EYE® 150 + 90**

1Ph., QPAR51  
Item no.: 143620 + 144010


# FORCHINI M 40 TRACK



## Hanging highlight.

The smaller lamp shade made from aluminium and steel is also a real eye-catcher, to provide the right lighting in gold, grey or white. Its textured interior provides a captivating lighting atmosphere that couldn't be cosier.

Aluminium and  
steel lamp shade



## SOCKET INSIDE

### FORCHINI M 40 TRACK

Socket type	E27
Diameter / H (cm)	40 / 20
Pendant length (cm)	150













**FORCHINI M 40 TRACK**  
1 ph, E27  
Item no.: 143932






Creates a cosy  
lighting atmosphere.








# SLV TRACK systems

1-phase	Mounting track 1 m	Mounting track 2 m	Mounting track 3 m	Recessed track 2 m
				
Prod. no.	● 143010 ○ 143011 ● 143012	● 143020 ○ 143021 ● 143022	● 1002151 ○ 1002152 ● 1002153	○ 143221
Page	12	12	12	16


1-phase	PURI TRACK	BIMA	HELIA 50 TRACK	NOBLO SPOT
				
Prod. no.	● 143390 ○ 143391 ● 143392	● 143440 ○ 143441 ● 143442	● 143580 ○ 143581	● 1001862 ○ 1001863 ● 1001864
Page	20	22	24	26

1-phase	PURIA TRACK	AVO TRACK	EURO SPOT	NOBLO SPOT SET
				
Prod. no.	● 143450 ○ 143451 ● 143454	● 144200 ○ 144201 ● 144204	● 1001861 ○ 143811	● 1002610 ○ 1002611 ● 1002612
Page	28	30	32	34

1-phase	PURI TRACK SET	ENOLA B TRACK PD	ENOLA B TRACK SPOT	PARA CONE 14 PD
				
Prod. no.	● 143190 ○ 143191 ● 143194	● 143960 ○ 143961 ● 143964	● 1002110 ○ 1002111 ● 1002113	● 143990 ○ 143991 ● 1001968
Page	36	38	38	40

Further information about SLV TRACK system products can be found at: [slv.com](http://slv.com)

1-phase	PARA CONE 14 SPOT	PARA CONE GL PD	PARA CONE GL SPOT	PANEL TRACK
				
Prod. no.	● 1002873 ○ 1002874 ● 1002875	● 1006159 ○ 1006160	● 1006155 ○ 1006156	● 1004933 ○ 1004934
Page	40	42	42	44

1-phase	PANEL TRACK	LIGHT EYE® 150 PD	LIGHT EYE® 90 SPOT	FORCHINI M 40 TRACK
				
Prod. no.	● 1004935 ○ 1004936	● 1000713 ○ 143621 ● 143620	● 144010 ○ 144011 ● 144019	● 143930 ● 143932
Page	44	46	46	48

Further information about SLV TRACK system products can be found at: [slv.com](https://www.slv.com)

#### Image credits

© SLV GmbH, 2022  
© Chlorophylle | Adobe Stock

---

Lighting has to illuminate what's important and meet a variety of conditions. That's why we are pleased to offer you a solution as a planner or installer of SLV track systems that can be adapted to various requirements and room situations. We wish you plenty of success in bringing your ideas to life.



 **slv.com**

Available at your specialist retailer:

\* Subject to correction and amendment. Orders only possible for commercial customers.

